EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S 6	5	"689695".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 08:31
S7	10	Kiyoto-Satoshi .in.	US PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/28 10:41
\$8	436	Sakamoto-Kenichi.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/28 10:59
S9	75	Yumoto-Kazuma.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/28 12:25
S10	3	S7 and S8 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/28 10:38

S11	4102	session\$1 SAME polic\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/28 12:26
S12	25997	SIP or session adj1 initial\$8 adj1 protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/28 12:28
S13	85954	COPS or common adj1 open adj1 polic\$3 adj1 (service or server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/28 12:32
S14	1477	S12 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 08:38
S15	312	\$14 and ("370".clas. or "709".clas. or "379".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/28 12:37
S16	25998	SIP or session adj1 initial\$8 adj1 protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 08:39

S17	85954	COPS or common adj1 open adj1 polic\$3 adj1 (service or server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 08:39
S18	1477	S16 and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 08:39
S19	312	\$18 and ("370".clas. or "709".clas. or "379".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 08:39
\$26	8	widegren-ina.in.	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 17:00
\$27	71991	(IP or IP adj1 address\$4 same polic\$) and ("370".clas. or "379".clas. or "707".clas. or "709".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 08:42
\$28	71991	(IP or IP adj1 address\$4 with polic\$) and ("370" clas. or "379" clas. or "707" clas. or "709" clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 08:41

\$29	26465	(IP or IP adj1 address\$4 same polic\$) same (database \$1 or storage\$1 or table\$1) and ("370".clas. or "379".clas. or "707".clas. or "709".clas.)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 08:44
\$30	36282	(IP or IP adj1 address\$4 same polic\$) same (database \$1 or storage\$1 or table\$1) and (370/229, "230", "254", "389", "395.21", "400", "405", ccls. or "379", clas. or 707/10.ccls. or 709/220-229, "238", ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 08:50
\$35	11321	(370/229,230,254,389,395.21,400,405).CQLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/03 09:05
S36	107607	("379").CLAS.	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/03 09:05
\$37	7221	(707/10).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/03 09:06
S38	26428	(709/220-229,238).CQLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/03 09:06

S39	149574	S35 or S36 or S37 or S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:07
S40	230	(relay adj node\$1 or edge adj node\$1) and (IP or IP adj1 address\$4 same polic\$) same (database\$1 or storage\$1 or table\$1) and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:28
S41	34	(relay adj node\$1 or edge adj node\$1) same (IP or IP adj1 address\$4 same polic\$) same (database\$1 or storage\$1 or table\$1) and S39	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:38
S42	0	(relay adj node\$1 or edge adj node\$1) same (IP or IP adj1 address\$4 same polic\$) same (SIP or session adj1 initial\$8 adj1 protocol) same (COPS or common adj1 open adj1 polic\$3) same (database\$1 or storage\$1 or table\$1) and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:39
S43	1	(relay adj node\$1 or edge adj node\$1) same (IP or IP adj1 address\$4 same polic\$) same (SIP or session adj1 initial\$8 adj1 protocol) AND (COPS or common adj1 open adj1 polic\$3) AND (database\$1 or storage\$1 or table\$1) and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:40
S44	2	(relay adj node\$1 or edge adj node\$1) same (IP or IP adj1 address\$4 same polic\$) AND (SIP or session adj1 initial\$8 adj1 protocol) AND (COPS or common adj1 open adj1 polic\$3) AND (database\$1 or storage\$1 or table\$1) and S	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:41

S45	6	(relay adj node\$1 or edge adj node\$1) AND (IP or IP adj1 address\$4 same polic\$) AND (SIP or session adj1 initial\$8 adj1 protocol) AND (COPS or common adj1 open adj1 polic\$3) AND (database\$1 or storage\$1 or table\$1) and S	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 13:32
S46	26010	SIP or session adj1 initial\$8 adj1 protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 17:54
S47	404	S46 AND (diff\$1serv andj1 code adj1 point OR dscp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 16:15
S48	11321	(370/229,230,254,389,395.21,400,405).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/03 13:36
S49	107607	("379"). O.AS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/03 13:36
S50	7221	(707/10).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/03 13:36

S51	26428	(709/220-229,238). CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/03 13:36
S52	149574	S48 or S49 or S50 or S51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 13:36
S54	151	S47 AND S52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 14:15
S55	2	("6434153").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 14:15
S56	0	("2004/0109414").URPN.	USPAT	OR	ON	2007/07/03 15:03
S58	85951	COPS or common adj1 open adj1 polic\$3 adj1 (service or server) AND (diff\$1serv andj1 code adj1 point OR dscp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 16:16

S59	2344	S58 and S52	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 16:17
S60	263	S58 and S52 and policy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/07/03 16:17
S61	8263	S46 and server	US-PGPUB; USPAT; USOCR; FPRS; IPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 17:55
S62	2530	S61 and S52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 17:55
S63	2077	\$51 and proxy adj1 server and \$52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 18:01
S64	406	S51 and session adj control and S52	US-PGPUB; USPAT; USPCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 18:17

S 65	486	\$46 same invite and policy and ("370".das. or "709". clas. or "707".clas. or "379".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 18:21
S66	124	S46 same invite same policy and ("370" clas. or "709" clas. or "707" clas. or "379" clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 18:21
\$67	2	("6366577"). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/05 11:00
S69	26085	SIP or session adj1 initial\$8 adj1 protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 11:02
S70	405	S69 AND (diff\$1serv andj1 code adj1 point OR dscp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 11:02
S71	85966	COPS or common adj1 open adj1 polic\$3 adj1 (service or server) AND (diff\$1serv andj1 code adj1 point OR dscp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 11:02

S72	80	\$70 AND \$71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 11:03
S73	2	("20040109414").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 12:51
S74	2	("20040165587").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 12:52
S75	2	("6970930").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 13:11
S76	35	(SIP or seesion adj initiation adj protocol) same (COPS or common adj open adj policy adj service) and (diffserv)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 13:39
S 77	35	(SIP or seesion adj initiation adj protocol) same (COPS or common adj open adj policy adj service) and (diffserv)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:39

S78	12	Kiyoto-Satoshi .in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 15:09
S79	12	Kiyoto-Satoshi.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 15:09
\$80	468	Sakamoto-Kenichi.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 15:10
S81	86	Yumoto-Kazuma.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 15:10
S82	548	S79 or S80 or S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 15:10
\$83	1	(S79 or S80 or S81) and policy with router same network	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 15:12

S84	1732	policy with router same network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 15:12
S85	2511	(policy or rule) same (path or route or link or port or network) and 370/352	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 15:23
S86	660	(policy or rule) same (path or route or link or port or network) and 370/352 and @py<="2003"	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 15:24
S87	467	(policy or rule) with (path or route or link or port or network) and 370/352 and @py<="2003"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 15:26
S88	273	(polic\$3 or rule\$1) with (path\$1 or route\$1 or link\$1 or port\$1) and networks and 370/352 and @py<="2003"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/16 15:27
S89	65	(polic\$3 or rule\$1) with (next or following) with (path\$1 or route\$1 or link\$1 or port\$1 or hop\$1) and networks and 370/352 and @py<="2003"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/16 16:20

S90	85	(polic\$3 or rule\$1) with (next or following) with (path\$1 or route\$1 or link\$1 or port\$1 or hop\$1) and networks and 370/401 and @py<="2003"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/16 17:36
S93	5	SIP adj (server or proxy or agent) same (policy adj2 (controller or server) or QOS adj2 (controller or server)) and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/17 09:41
S94	2	("20020145975").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/17 13:08
S95	65915	SIP bye same sip (server or proxy) same (collee or terminal or endpoint) and @py<="2002"	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/17 13:36
S96	2	SIP bye same sip (server or proxy) same (collee or terminal or endpoint) and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/17 13:36

7/17/2008 2:11:29 PM

C:\ Documents and Settings\ Ibell\ My Documents\ EAST\ Workspaces\ 10689695.wsp